



NORWEST



MANUFACTURING INC.

71 SOUTH 215 WEST - RUPERT, ID 83350 - (208) 436-1770 - FAX (208) 436-1776

NORWEST PLOWSHARES

Norwest plow parts, including shares, shins, moldboards, landsides and trashboards, are manufactured by **Wiese Industries**, which uses only high-carbon, heat-treated steel. Plow parts will be listed according to make and bottom series. Remember when replacing one part on a plow, it may be necessary to loosen other parts to allow for wear. For example, when replacing the shin it may be necessary to loosen the moldboard and the share to allow the new part to fit. Then simply tighten other parts when proper alignment is achieved. Sold in vendor packs of 6 each and packed with nuts and bolts unless otherwise specified.


RIB PLOW SHARES




LW PLOW SHARES



MOLDBOARDS



TWO WAY SHARES



TRASHBOARDS



LANDSIDES





NOR WEST

MANUFACTURING INC.

71 SOUTH 215 WEST - RUPERT, ID 83350- (208) 436-1770- FAX (208) 436-1776

RIB PLOW SHARES: The Rib Share is made from a section with a “rib” running horizontally through it for extra strength and wear. Rib shares are not available for all plows. The Rib Share is oil quenched, heat treated, and packed six per carton. Hard facing is not recommended for rib shares. Bolts and nuts not included.

LW PLOW SHARES: The LW Long Wear Share is a heavy duty deep suck share produced from a full 3/8” section and upset forged at the nose for long break resistant wear. The LW Share is oil quenched, heat treated and packed six per carton. Bolts and nuts are included.

LW PLOW SHARES

HARDSURFACED: The LW Hard surfaced Share is produced from boron steel with ¼” chromium carbide point and chromium carbide application on the cutting edge of the share. These are excellent for high abrasion soil conditions.

DEEP SUCK SHARES: Deep suck shares to fit IH are manufactured using high-carbon, heat-treated steel. The special design includes a long nose for superior penetration and suction. The deep suck plowshare is ideal for use on tougher soils where it is difficult to keep the plow in the ground or when deeper penetration is desired. Available hard-surfaced or left hand upon request. Sold in vendor units of one each without bolts.

TWO WAY SHARES: Designed and manufactured to use with the new two way plows such as Deere, Harrell, Long, and others. Bulk packed, without bolts.

MOLDBOARD SHINS: Moldboard Shins are made of 5/16” high carbon steel, oil quenched and heat-treated. Packed six per carton with bolts and nuts.

LANDSIDES: Landsides are drop forged or sheared depending upon configuration. Landsides are made of high carbon steel, oil quenched and heat-treated. Packed six per carton with bolts and nuts.

MOLDBOARDS: Moldboards are offered for plow bottoms using blade type shares. All moldboards are oil quenched, heat treated and come complete with bolts and nuts. The solid steel moldboards offer the farmer an economical moldboard with the same top quality as the other products. These moldboards are recommended for all types of soil where scouring is not a problem.

TRASHBOARDS: Trashboards are made of 5/16” thick steel, heat treated, and available in left or right hand. They are packed in cartons of six and come complete with bolts and nuts.

CONSERVATION DEEP-TILL: The conservation deep-till system is proven to provide the ideal combination of deep tillage, soil mixing, and proper management of nutrients while meeting most conservation guidelines. Conservation moldboards are manufactured using high-carbon, heat-treated steel. Packed with bolts and nuts per one.



NORWEST

MANUFACTURING INC.

71 SOUTH 215 WEST - RUPERT, ID 83350- (208) 436-1770- FAX (208) 436-1776

RIB PLOWSHARES

AVAILABLE PLAIN – HEAT TREATED
SIX PER CTN. (LEFT HAND SHARES AVAILABLE)
NUTS AND BOLTS NOT INCLUDED



TO FIT CASE

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
RSO185LH RSO185LP RSO185RH RSO185RP	18" RIB SHARE	(1) ½" (4) 7/16"	18" – 3/8"	RCA8R T89974	52 LBS CTN/6

TO FIT JOHN DEERE (HS 350-356-400-500-SDT-NU BOTTOMS)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
RSJD185LH RSJD185LP RSJD185RH RSJD185RP	18" RIB SHARE	(1) ½" (4) 7/16"	18"-20"-3/8"	A14243	52 LBS CTN/6

TO FIT JOHN DEERE (METRIC NU-450 BOTTOMS)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
RSJDM183LH RSJDM183LP RSJDM183RH RSJDM183RP	18" RIB SHARE	(3) 16mm	18"-3/8"	A42808 A30951	52 LBS CTN/6

TO FIT IH (SUPER CHIEF BOTTOMS)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
RSI164LP RSI164RP	16" RIB SHARE	(1) ½" (3) 7/16"	16"-3/8"	463223 1980954	47 LBS CTN/6
RSI184LH RSI184LP RSI184RH RSI184LH	18" RIB SHARE	(1) ½" (3) 7/16"	18"-20"-3/8"	463238 1980956	52 LBS CTN/6

TO FIT MASSEY FERGUSON

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
RSMF164LH RSMF164LP RSMF164RH RSMF164RP	16" RIB SHARE	(4) ½"	16"-3/8"	475716M1	47 LBS CTN/6
RSMF184LP RSMF184RP	18" RIB SHARE	(4) ½"	18"-3/8"	475823M1	52 LBS CTN/6

TO FIT OLIVER WHITE

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
RSO185LH RSO185LP RSO185RH RSO185RP	18" RIB SHARE	(1) 1/2" (4) 7/16"	18" - 3/8"	220024BS	52 LBS CTN/6

TO FIT WILRICH

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
RSW184LH RSW184RH	18" RIB SHARE	(4) 1/2"	18"-3/8"	14255	52 LBS CTN/6

LW PLOWSHARES



AVAILABLE PLAIN OR HARD SURFACED
 SIX PER CTN. (LEFT HAND AND SHORT CUT SHARES AVAILABLE IN MOST MAKES)
 NUTS AND BOLTS INCLUDED

**NOTE - LEFT HAND BOLTS AND NUTS PACKED WITH IHC, DMI, OLIVER/WHITE, WILRICH AND MELROE

TO FIT FORD (GENERAL PURPOSE AND HEAVY DUTY SERIES)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
LWFD185LP LWFD185RP	18" ROCK SHARE LW	(5) 7/16"	18"-3/8"	7101980	54 LBS CTN/6

TO FIT FORD (SERIES 150, 151, 152, 154 *OLIVER/WHITE BOTTOMS)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
LWO185LH LWO185LP LWO185RH LWO185RP	18" ROCK SHARE LW (5) HOLE	(1) 1/2" (4) 7/16"	18"-3/8"	SBP219629BF	47 LBS CTN/6

TO FIT IH SUPER CHIEF

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
LWI184LH LWI184LP LWI184RH LWI184RP	18" ROCK SHARE (4) HOLE	(1) 1/2" (3) 7/16"	18"-3/8"	463238R	52 LBS CTN/6



NORWEST MANUFACTURING INC.

71 SOUTH 215 WEST - RUPERT, ID 83350 - (208) 436-1770 - FAX (208) 436-1776

TO FIT JOHN DEERE (NU 1036-1046 AND NU1048)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
LWJ185LH LWJ185LP LWJ185RH LWJ185RP	18" ROCK SHARE	(3) 7/16"	18" - 3/8"	A14243	52 LBS CTN/6


TO FIT NATIONAL (DAVID BROWN) AND MINNEAPOLIS-MOLINE: USE OLIVER/WHITE

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
LWO185LH LWO185LP LWO185RH LWO185RP	18" ROCK LW (5) HOLE	(1) 1/2" (4) 7/16"	18"-3/8"	SBP219629BF	47 LBS CTN/6

TO FIT WILRICH (DEEP-TILL BOTTOM)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
LWR184RP	18" ROCK SHARE LW	(4) 1/2"	18"-3/8"	20033	52 LBS CTN/6

TWO-WAY PLOW PARTS



TWO-WAY PLOW PARTS ARE MANUFACTURED USING HIGH-CARBON, HEAT-TREATED STEEL. MOLDBOARDS AND SHINS ARE MANUFACTURED USING SOLID STEEL. LANDSIDES ARE SOLD IN VENDOR UNITS OF 6 EACH PACKED WITH REQUIRED NUTS AND BOLTS. ALL OTHER PARTS ARE SOLD IN VENDOR UNITS OF 1 WITHOUT BOLTS.

TO FIT HARRELL

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
7921736	MOLDBOARD	(8) 1/2" PLOW HEAD	19 7/8" x 17 1/2" / 1/4"	7921736	30 LBS
SWH79006	DOUBLE-END SHARE	(5)		7900636	11.5 LBS
SWH79028	DOUBLE-END SHARE HS	(5)		7902836	12 LBS
7920836	SHIN (LOWER) CHROME			7920836	1.6 LBS CTN/6
9820736	SHIN (UPPER) STEEL			9820736	1.9 LBS CTN/6
79010W	LANDSIDE (SHORT)	(2)	1/2"	79010W	23 LBS CTN/6
79206W	LANDSIDE (LONG)	(4)	1/2"	218270B	46 LBS CTN/6

TO FIT LONG

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
SWL791406	DOUBLE END SHARE	(5)		B791406	11.5 LBS
SWL791407	DOUBLE END SHARE HS	(5)		B791407	12 LBS
79010W	LANDSIDE	(2)	1/2"	791404W	23 LBS CTN/6

TO FIT JOHN DEERE

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
57264	MOLDBOARD	(6)	19-7/8" x 17-1/2"	P-57264	21 LBS
SWD57270	DOUBLE END SHARE	(4)		57270	11.5 LBS
SWD57043	DOUBLE END SHARE HS	(4)		57043	12 LBS
57265	SHIN (LEFT)	(3)	LEFT	P-57265	5.6 LBS CTN/6
57266	SHIN (RIGHT)	(3)	RIGHT	P-57266	5.6 LBS CTN/6

DEEP-SUCK SHARES TO FIT IH



DEEP-SUCK SHARES TO FIT IH ARE MANUFACTURED USING HIGH-CARBON, HEAT-TREATED STEEL. THE SPECIAL DESIGN INCLUDES A LONG NOSE FOR SUPERIOR PENETRATION AND SUCTION. THE DEEP SUCK PLOWSHARE IS IDEAL FOR USE ON TOUGHER SOILS WHERE IT IS DIFFICULT TO KEEP THE PLOW IN THE GROUND OR WHEN DEEPER PENETRATION IS DESIRED. THESE ARE AVAILABLE HARD-SURFACED OR LEFT HAND UPON REQUEST. SOLD IN VENDOR UNITS OF ONE EACH WITHOUT BOLTS.

TO FIT IH

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
LIH184LH	DEEP SUCK PLOW SHARE	(1) 1/2" (3) 7/16"	3/8"		9.2 LBS
LIH184LP	DEEP SUCK PLOW SHARE	(1) 1/2" (3) 7/16"	3/8"		9.2 LBS
LIH184RH	DEEP SUCK PLOW SHARE	(1) 1/2" (3) 7/16"	3/8"		9.2 LBS
LIH184RP	DEEP SUCK PLOW SHARE	(1) 1/2" (3) 7/16"	3/8"		9.2 LBS



NORWEST

MANUFACTURING INC.

71 SOUTH 215 WEST - RUPERT, ID 83350- (208) 436-1770- FAX (208) 436-1776

CONSERVATION DEEP-TILL SYSTEM

THE CONSERVATION DEEP-TILL SYSTEM IS PROVEN TO PROVIDE THE IDEAL COMBINATION OF DEEP TILLAGE, SOIL MIXING AND PROPER MANAGEMENT OF NUTRIENTS WHILE MEETING MOST CONSERVATION GUIDELINES. THIS SPECIAL MOLDBOARD CONVERTS YOUR EXISTING PLOW INTO A CONSERVATION TILLAGE TOOL BY ALLOWING 35% - 65% OF CROP RESIDUE TO STAY ON THE SURFACE WHILE SHATTERING AND MIXING ALL SOIL AT A DEPTH OF UP TO 14". RESIDUE AMOUNTS AND TILLAGE DEPTHS WILL VARY DEPENDING ON THE MAKE OR MODEL OF THE PLOW, FIELD CONDITIONS AND THE ADJUSTMENT OF YOUR MACHINE. THE CONSERVATION DEEP-TILL SYSTEM REPLACES ONLY THE MOLDBOARD ON THE PLOWS LISTED BELOW. CONSERVATION MOLDBOARDS ARE MANUFACTURED USING HIGH-CARBON, HEAT-TREATED STEEL. THEY ARE SOLD IN VENDOR UNITS OF ONE EACH PACKED WITH BOLTS AND NUTS.

TO FIT	OEM #	NORWEST PART #	BOTTOM SIZE	WEIGHT/EA.
IH SUPER CHIEF 700 AND 800 SERIES	462314 58996	462314 462314	14" - 20"	12 LBS
JD NU-1048 SERIES	A17431	NU1048 NU1048L	18"	12 LBS
OLIVER/WHITE ALSO SOME DMI, CASE, AND FORD W/OLIVER BOTTOMS	R419, R619	R419-R619-16 R419-R619-16L	16" - 20"	14 LBS

MOLDBOARD SHINS



MOLDBOARD SHINS ARE HEAT TREATED AND MADE FROM SOLID STEEL. THEY ARE SOLD SIX PER CARTON AND NUTS AND BOLTS ARE INCLUDED.

TO FIT CASE

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
WO-9	SHIN	(2) 7/16"	16"-18"-5/16"	T-57747	29 LBS CTN/6

TO FIT JOHN DEERE

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
WD-3	SHIN	(2) 7/16"	16"-18"-5/16"	A15594	26 LBS CTN/6
WD-3-L	SHIN LEFT	(2) 7/16"	16"-18"-5/16"	A15606	26 LBS CTN/6
WD-5	SHIN 14"	(2) 7/16"	14"-5/16"	A14700	23 LBS CTN/6
WD-5-L	SHIN 14" LH	(2) 7/16"	14"-5/16"	A14701	23 LBS CTN/6



NORWEST MANUFACTURING INC.

71 SOUTH 215 WEST - RUPERT, ID 83350- (208) 436-1770- FAX (208) 436-1776

TO FIT DMI

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA
WO-9	SHIN	(2) 7/16"	16"-18"-5/16"	33111602	29 LBS CTN/6

TO FIT IH SUPER CHIEF

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA
WI-25	SHIN	(2) 7/16"	14"-16"-18"-5/16"	522325R 488266R	24 LBS CTN/6
WI-25-L	SHIN LEFT	(2) 7/16"	14"-16"-18"-5/16"	55075C 464595	24 LBS CTN/6

TO FIT MASSEY FERGUSON (N BOTTOM)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
WMFSL	SHIN LEFT	(2) 7/16"	12"-18"-5/16"	661584	21 LBS CTN/6
WMFSR	SHIN RIGHT	(2) 7/16"	14"-16"-18"-5/16"	660008M1	21 LBS CTN/6

TO FIT MELROE (OLIVER STYLE BOTTOMS)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
WO-9	SHIN	(2) 7/16"	14"-18"-5/16"	6522182	21 LBS CTN/6
WO-9-L	SHIN LEFT	(2) 7/16"	14"-18"-5/16"		21 LBS CTN/6

TO FIT MINNEAPOLIS MOLINE NL, AND DAVID BROWN GENERAL PURPOSE

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
WO-9	SHIN	(2) 7/16"	14"-20"-5/16"	7490	21 LBS CTN/6

TO FIT OLIVER/WHITE

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
WO-8	SHIN	(2) 3/8"	12"-18"-5/16"	EP7488C	19 LBS CTN/6
WO-8-L	SHIN LEFT	(2) 3/8"	12"-18"-5/16"	218284	19 LBS CTN/6
WO-9	SHIN	(2) 7/16"	12"-18"-5/16"	EP7490C	21.5 LBS CTN/6
WO-9-L	SHIN LEFT	(2) 7/16"	12"-18"-5/16"	217404BS	21.5 LBS CTN/6



NORWEST MANUFACTURING INC.

71 SOUTH 215 WEST - RUPERT, ID 83350- (208) 436-1770- FAX (208) 436-1776

TO FIT WILRICH (OLIVER STYLE BOTTOM)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
WO-9	SHIN	(2) 7/16"	16"-18"/20"	213022 A4257	21.5 LBS CTN/6

TRASHBOARDS



TRASHBOARDS ARE HEAT TREATED, 5/16" THICK, AND PACKED SIX TO A CARTON WITH BOLTS.

TO FIT I. H.

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
TBIH	TRASHBOARD	(2) 3/8"	5/16"		31.5 LBS
TBIH-L	TRASHBOARD	(2) 3/8"	5/16" IH		31.5 LBS

TO FIT ALLIS CHALMERS, OLIVER/WHITE WILL ALSO FIT NEWER CASE, FORD, MELROE, AND WIL RICH PLOWS

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
TBUV	TRASHBOARD	(2) 3/8"	5/16"		32 LBS CTN/6
TBUVL	TRASHBOARD LH	(2) 3/8"	5/16" LEFT		32 LBS CTN/6

LANDSIDES



MADE OF HEAT TREATED SOLID HIGH CARBON STEEL. PACKED SIX PER CARTON WITH NUTS AND BOLTS.

TO FIT I. H. SUPER CHIEF

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
058UV	LANDSIDE WEAR PLATE	(2) 7/16"	1/2"	59058	22 LBS CTN/6
058UVL	LANDSIDE WEAR PLATE LH	(2) 7/16"	1/2"	59058	22 LBS CTN/6
59057	LANDSIDE INNER PLATE	(1) 7/16" (2) 1/2"	1/2"	59057	45 LBS CTN/6
59057L	LANDSIDE INNER PLATE LH	(1) 7/16" (2) 1/2"	1/2"	59057	45 LBS CTN/6

NORWEST

MANUFACTURING INC.

71 SOUTH 215 WEST - RUPERT, ID 83350- (208) 436-1770- FAX (208) 436-1776


TO FIT MASSEY FERGUSON (N BOTTOM)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
002W	LANDSIDE (OLDER N SERIES) FRONT	(2) 7/16" (1) 5/8"	1/2"	660002M1	50 LBS CTN/6
003W	LANDSIDE (OLDER N SERIES) REAR	(2) 7/16" (3) 5/8"	1/2"	660003M1	81 LBS CTN/6
475WL	LANDSIDE (NEWER N & 88 SERIES) LEFT	(2) 7/16" (1) 5/8"	1/2"	475983M	60 LBS CTN/6
475WR	LANDSIDE (NEWER N & 88 SERIES) FRONT REAR	(2) 7/16" (1) 5/8" (2) 1/2" PLAIN HOLE	1/2"	475153M1F 475973M1R	60 LBS CTN/6

TO FIT OLIVER R419 AND R619

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
058UV	WEAR PAD RIGHT HAND	(2) 7/16"	1/2"		22 LBS CTN/6
058UVL	WEAR PAD LEFT HAND	(2) 7/16"	1/2"		22 LBS CTN/6

MOLDBOARDS



MOLDBOARDS ARE MADE WITH SOLID HIGH CARBON STEEL AND HEAT TREATED. THEY ARE FOR USE IN HIGH ABRASION AREAS. NUTS AND BOLTS INCLUDED.

TO FIT DMI (HYDRO-WIDE)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
R419-R619-16	MOLDBOARD (VENDOR UNIT 1 EA)	(5) 7/16"	16"-18"-5/16"	33111601	30 LBS
R419-R619-16L	MOLDBOARD L.H. (VENDOR UNIT 1 EA)	(5) 7/16"	16"-18"-5/16"	33111601L	30 LBS

TO FIT JOHN DEERE (NU1048)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
NU1048	MOLDBOARD (VENDOR UNIT 1 EA)	(8) 7/16"	18"-5/16"	A17431	38 LBS
NU1048L	MOLDBOARD L.H. (VENDOR UNIT 1 EA)	(8) 7/16"	18"-5/16"	A17432	38 LBS



NORWEST

MANUFACTURING INC.

71 SOUTH 215 WEST - RUPERT, ID 83350- (208) 436-1770- FAX (208) 436-1776

TO FIT IH SUPER CHIEF

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
462314	MOLDBOARD (VENDOR UNIT 1 EA) W/BOLT**	(4) 7/16"	16"-18"-20"- 5/16"	462314R 488265R 58996C	33 LBS
491634	MOLDBOARD HIGH BACK (VENDOR UNIT 1 EA)	(4) 7/16"	18"-5/16"	491634	34 LBS

**HIGH SPEED

TO FIT MASSEY FERGUSON (N BOTTOM)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
661651L	MOLDBOARD (VENDOR UNIT 1 EA)	(5) 7/16"	16"-5/16"	66165L	29 LBS

TO FIT MELROE (OLIVER STYLE BOTTOMS)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
R419-R619-16	MOLDBOARD (VENDOR UNIT 1 EA)	(5) 7/16"	16"-5/16"	6522185	30 LBS
R419-R619-16L	MOLDBOARD (VENDOR UNIT 1 EA) LH	(5) 7/16"	16"-5/16"	6522185L	30 LBS

TO FIT MINNEAPOLIS MOLINE AND DAVID BROWN GENERAL PURPOSE

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
R419-R619-16	MOLDBOARD (VENDOR UNIT 1 EA)	(5) 7/16"	16"-5/16"	20P42 HS-139	30 LBS

TO FIT OLIVER R619 SERIES

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
R419-R619-16	MOLDBOARD (VENDOR UNIT 1 EA)	(5) 7/16"	16"-5/16"	R419-16	30 LBS
R419-R619-16L	MOLDBOARD (VENDOR UNIT 1 EA) LH	(6) 3/8"	16"-5/16"	R419-16L	30 LBS

TO FIT WIL-RICH (OLIVER STYLE BOTTOM)

PART #	DESCRIPTION	# OF BOLT HOLES	SIZE	OEM #	WEIGHT/EA.
R419-R619-16	MOLDBOARD (VENDOR UNIT 1 EA)	(5) 7/16"	18"-5/16"	215802 A4258	30 LBS



71 SOUTH 215 WEST - RUPERT, ID 83350- (208) 436-1770- FAX (208) 436-1776

NUTS AND BOLTS

CLIPPED HEAD BOLTS

PART #	DESCRIPTION	SIZE
BCH76114	RIGHT HAND CLIPPED HEAD	7/16" X 1 1/4"
BCH76114L	LEFT HAND CLIPPED HEAD	7/16" x 1 1/4"
BCH716112R	RIGHT HAND CLIPPED HEAD	7/16" X 1 1/2"
BCH716112L	LEFT HAND CLIPPED HEAD	7/16" X 1 1/2"
BCH12138R	RIGHT HAND CLIPPED HEAD	1/2" X 1 3/8"
BCH12138L	LEFT HAND CLIPPED HEAD	1/2" X 1 3/8"
BCHM16M40	RIGHT HAND CLIPPED HEAD **METRIC**	16MM" X 40MM"

HEX NUTS

PART #	DESCRIPTION	SIZE
BHN716L	LEFT HAND NUT	7/16"
BHN716R	RIGHT HAND NUT	7/16"
BHN12L	LEFT HAND NUT	1/2"
BHN12R	RIGHT HAND NUT	1/2"